

ecocem  
porcelain collection  
(color body-digital technology)



**MARBLE SYSTEMS**

ecocem porcelain collection (color body-digital technology)



## floor/wall tiles

### melted ice



WIS11839  
melted ice honed 12"x24"  
in stock



WIS11898  
melted ice honed bullnose 3"x24"  
in stock

### aqua



WIS11838  
aqua honed 12"x24"  
in stock



WIS11897  
aqua honed bullnose 3"x24"  
in stock

### sage



WIS11840  
sage honed 12"x24"  
in stock



WIS11899  
sage honed bullnose 3"x24"  
in stock

Bullnose pieces are recommended to be used in dry areas.  
Note special order sizes, 18"x36" & 6"x36", are rectified. More sizes or finishes may be available through special order.  
Please contact your sales representative for more details.





## weathered black



WIS11841  
weathered black honed 12"x24"  
in stock




WIS11900  
weathered black honed bullnose 3"x24"  
in stock

## technical information

PHYSICAL PROPERTIES	TEST	INDUSTRY STANDARDS	RESULTS COLORED BODY	
Water Absorption Size Calibrated (non rectified)	ASTM C373	0.5% Maximum	≤ 0.1%	Acutest DCOF Wet >0.42  C1028 COF Dry ≥0.80 Wet >0.60
Rectified	ASTM C499	• Range of Thickness (inch)	0.040	
	ASTM C499	• Average Facial Dimension	± 0.50%	
	ASTM C485	• Warpage	± 75% on any edge	
	ASTM C485	• Warpage	± 50% on diagonal	
Bond Strength Deep Abrasion Hardness (Mohs scale) Frost Resistance (Freeze/Thaw)	ASTM C502	• Wedging	± 0.50%	
	ASTM C499	• Range of Thickness (inch)	0.040	
	ASTM C499	• Average Facial Dimension	± 0.25%	
	ASTM C485	• Warpage	± 0.40% on any edge	
Chemical Resistance	ASTM C485	• Warpage	± 0.40% on diagonal	
	ASTM C502	• Wedging	± 0.25%	
Breaking Strength	ASTM C482	50 psi or greater	> 200 psi	
Coefficient of Friction (static)	ASTM C1243	< 175 mm <sup>3</sup>	< 150 mm <sup>3</sup>	
	ASTM C1026	No requirement	≥ 7	
		No sample must show alterations to surface	No cracking or spalling occurred	
	ASTM C650	No requirement	Class A	
	ASTM C648	250 lbf or greater	≥ 350 lbf	
	ASTM C1028	No requirement	Per collection	

Bullnose pieces are recommended to be used in dry areas.  
 Note special order sizes, 18"x36" & 6"x36", are rectified. More sizes or finishes may be available through special order.  
 Please contact your sales representative for more details.



## MARBLE SYSTEMS

### MID-ATLANTIC & MID-WEST DIVISION

2737 DORR AVENUE FAIRFAX, VA 22031 PHONE : 703 226 1590 FAX : 703 226 1591

### NORTHEAST DIVISION

610 WASHINGTON AVE CARLSTADT, NJ 07072 PHONE : 201 507 0111 FAX : 201 507 0888

### WEST COAST DIVISION

2111 E HOWELL AVE, ANAHEIM, CA 92806 PHONE : 714 525 8910 FAX : 714 525 8911

### MIAMI & CARIBBEAN DIVISION

2716 PONCE DE LEON BLVD. CORAL, GABLES, FL 33134 PHONE : 305 463 9850 FAX : 305 463 9851

### SOUTHEAST DIVISION

2010 WEST ATLANTIC BLVD. POMPANO BEACH, FL 33069

PHONE : 954 979 9530 FAX : 954 979 9531

### PUERTO RICO DIVISION

279 JOSÉ DE DIEGO AVE. SAN JUAN, PR 00920 PHONE : 787 793 5642 FAX : 787 774 8238

### DOMINICAN REPUBLIC

CALLE DR MANUEL EMILIO PERDOMO #33, LOCAL 3 ENSANCHE NACO

SANTO DOMINGO, REPÚBLICA DOMINICANA PHONE: 809 692 2391

## COUNTRY FLOORS

### NEW YORK

15 EAST 16TH STREET NEW YORK, NY 10003 PHONE : (212) 627 8300 FAX : (212) 242 1604

### LOS ANGELES

8735 MELROSE AVENUE LOS ANGELES, CA 90069 PHONE : (310) 657 0510 FAX : (310) 657 2172

### SAN FRANCISCO

TWO HENRY ADAMS STREET ST. 100 SAN FRANCISCO, CA 94103 PHONE : (415) 241 0500 FAX : (415) 241 0600

## MANUFACTURING FACILITIES

### CHANTILLY

25383 PLEASANT VALLEY ROAD, CHANTILLY, VA 20152 PHONE : 703 337 1500 FAX: 703 337 1501

### MGM

ORGANIZE SANAYI BOLGESI 1. CD. 12. SK. NO: 8 AFYONKARAHISAR/TURKEY PHONE : +90 541 472 2205

### TUREKS

ORGANIZE SANAYI BOLGESI 1. CD. 5. SK. AFYONKARAHISAR/TURKEY PHONE : +90 272 221 1600

